

What is claimed is:

1. A data compression system comprising:
a plurality of parallel compression engines, wherein each of the plurality of parallel
5 compression engines implements a parallel data compression algorithm;
wherein each of the plurality of parallel compression engines is operable to:
receive a different respective portion of uncompressed data; and
compress the different respective portion of the uncompressed data using the
parallel data compression algorithm to produce a respective compressed portion of the
10 uncompressed data; and
output the respective compressed portion;
wherein the plurality of parallel compression engines are configured to perform said
compression in a parallel fashion to produce a plurality of respective compressed portions of
the uncompressed data.

2. The data compression system of claim 1,
wherein, in performing said compression in a parallel fashion, the plurality of
parallel compression engines operate concurrently to compress the different respective
portions of the uncompressed data to produce the compressed portions of the uncompressed
20 data.

3. The data compression system of claim 1,
wherein the respective compressed portions output from the plurality of parallel
compression engines are combinable to form compressed data corresponding to the
uncompressed data.
25

4. The data compression system of claim 1, wherein each of the plurality of
parallel compression engines implements a parallel lossless data compression algorithm.

5. The data compression system of claim 1, wherein each of the plurality of parallel compression engines implements a parallel statistical data compression algorithm.

6. The data compression system of claim 1, wherein each of the plurality of parallel compression engines implements a parallel dictionary-based data compression algorithm.

7. The data compression system of claim 6, wherein each of the plurality of parallel compression engines implements a parallel data compression algorithm based on a Lempel-Ziv (LZ) algorithm.

8. The data compression system of claim 6, wherein the uncompressed data comprises a plurality of symbols, wherein each of the plurality of parallel compression engines is operable to compare each of a plurality of received symbols with each of a plurality of entries in a history table concurrently.

9. The data compression system of claim 6,
wherein each of the plurality of parallel compression engines comprises:

an input for receiving the different respective portion of the uncompressed data, wherein the uncompressed data comprises a plurality of symbols, wherein the plurality of symbols includes a first symbol, a last symbol, and one or more middle symbols;

a history table comprising entries, wherein each entry comprises at least one symbol;

a plurality of comparators for comparing the plurality of symbols with entries in the history table, wherein the plurality of comparators are operable to compare each of the plurality of symbols with each entry in the history table concurrently, wherein the plurality of comparators produce compare results;

match information logic coupled to the plurality of comparators for determining match information for each of the plurality of symbols based on the compare results, wherein the match information logic is operable to determine if a contiguous match

occurs for one or more of the one or more middle symbols that does not involve a match with either the first symbol or the last symbol; and

an output coupled to the match information logic for outputting compressed data in response to the match information.

5

10. The data compression system of claim 1, wherein the parallel data compression algorithm is based on one of an LZSS algorithm, an LZ77 algorithm, an LZ78 algorithm, an LZW algorithm, an LZRW1 algorithm, a Run Length Encoding (RLE) algorithm, a Predictive Encoding algorithm, a Huffman coding algorithm, an Arithmetic coding algorithm and a Differential compression algorithm.

10

11. The data compression system of claim 1, further comprising:

a plurality of parallel decompression engines, wherein each of the plurality of parallel decompression engines implements a parallel data decompression algorithm;

wherein each of the plurality of parallel compression engines is operable to:

receive a different respective portion of compressed data; and

decompress the different respective portion of the compressed data using the parallel data decompression algorithm to produce a respective uncompressed portion of the compressed data; and

output the respective uncompressed portion;

wherein the plurality of parallel decompression engines are configured to perform said decompression in a parallel fashion to produce a plurality of respective uncompressed portions of the compressed data.

12. The data compression system of claim 11,

wherein, in performing said decompression in a parallel fashion, the plurality of parallel decompression engines operate concurrently to decompress the different respective portions of the compressed data to produce the uncompressed portions of the compressed data.

25

30

13. The data compression system of claim 11,
wherein the respective uncompressed portions output from the plurality of parallel
decompression engines are combinable to form uncompressed data corresponding to the
compressed data.

14. The data compression system of claim 11, wherein each of the plurality of
parallel decompression engines implements a parallel lossless data decompression
algorithm.

15. The data compression system of claim 11, wherein each of the plurality of
parallel decompression engines implements a parallel statistical data decompression
algorithm.

16. The data compression system of claim 11, wherein each of the plurality of
parallel decompression engines implements a parallel dictionary-based data decompression
algorithm.

17. The data compression system of claim 11, wherein the compressed data
comprises a compressed representation of uncompressed data, wherein the uncompressed
data has a plurality of symbols,

wherein each of the plurality of parallel decompression engines is operable to:

receive the compressed data, wherein the compressed data comprises tokens
each describing one or more of the symbols in the uncompressed data;

examine a plurality of tokens from the compressed data in parallel in a
current decompression cycle; and

generate the uncompressed data comprising the plurality of symbols in
response to said examining.

18. A data compression system comprising:

a plurality of parallel compression engines, wherein each of the plurality of parallel compression engines implements a parallel data compression algorithm;

first logic coupled to the plurality of parallel compression engines and configured to:

receive uncompressed first data; and

5 provide a different respective portion of the uncompressed first data to each of the plurality of parallel compression engines;

wherein each of the plurality of parallel compression engines is configured to:

compress the different respective portion of the uncompressed first data using the parallel data compression algorithm to produce a compressed portion of the first
10 uncompressed data; and

output the compressed portion of the first uncompressed data;

wherein the plurality of parallel compression engines are configured to perform said compression in a parallel fashion to produce a plurality of compressed portions of the first uncompressed data.

15 19. The data compression system of claim 18,

wherein, in performing said compression in a parallel fashion, the plurality of parallel compression engines operate concurrently to compress the different respective portions of the uncompressed first data to produce the compressed portions of the first
20 uncompressed data.

20. The data compression system of claim 18, further comprising:

second logic coupled to the plurality of parallel compression engines and configured to:

25 receive the plurality of compressed portions of the data; and

merge the plurality of compressed portions of the first data to produce compressed first data.

30 21. The data compression system of claim 18, wherein each of the plurality of parallel compression engines implements a parallel lossless data compression algorithm.

22. The data compression system of claim 18, wherein each of the plurality of parallel compression engines implements a parallel statistical data compression algorithm.

5 23. The data compression system of claim 18, wherein each of the plurality of parallel compression engines implements a parallel dictionary-based data compression algorithm.

10 24. The data compression system of claim 23, wherein each of the plurality of parallel compression engines implements a parallel data compression algorithm based on a Lempel-Ziv (LZ) algorithm.

15 25. The data compression system of claim 23, wherein the uncompressed data comprises a plurality of symbols, wherein each of the plurality of parallel compression engines is operable to compare each of a plurality of received symbols with each of a plurality of entries in a history table concurrently.

20 26. The data compression system of claim 23,
wherein each of the plurality of parallel compression engines comprises:
an input for receiving the different respective portion of the uncompressed first data, wherein the uncompressed first data comprises a plurality of symbols, wherein the plurality of symbols includes a first symbol, a last symbol, and one or more middle symbols;

25 a history table comprising entries, wherein each entry comprises at least one symbol;

a plurality of comparators for comparing the plurality of symbols with entries in the history table, wherein the plurality of comparators are operable to compare each of the plurality of symbols with each entry in the history table concurrently, wherein the plurality of comparators produce compare results;

match information logic coupled to the plurality of comparators for determining match information for each of the plurality of symbols based on the compare results, wherein the match information logic is operable to determine if a contiguous match occurs for one or more of the one or more middle symbols that does not involve a match with either the first symbol or the last symbol; and

an output coupled to the match information logic for outputting compressed data in response to the match information.

27. The data compression system of claim 18, wherein the parallel data compression algorithm is based on a serial dictionary-based data compression algorithm.

28. The data compression system of claim 18, wherein the parallel data compression algorithm is based on one of an LZSS algorithm, an LZ77 algorithm, an LZ78 algorithm, an LZW algorithm, an LZRW1 algorithm, a Run Length Encoding (RLE) algorithm, a Predictive Encoding algorithm, a Huffman coding algorithm, an Arithmetic coding algorithm and a Differential compression algorithm.

29. The data compression system of claim 18, further comprising:
a plurality of parallel decompression engines, wherein each of the plurality of parallel decompression engines implements a parallel data decompression algorithm;
third logic coupled to the plurality of parallel decompression engines and configured to:

receive compressed second data; and
provide a different respective portion of the compressed second data to each of the plurality of parallel decompression engines;

wherein each of the plurality of parallel decompression engines is configured to:
decompress the different respective portion of the compressed second data to produce an uncompressed portion of the second data; and
output the uncompressed portion of the compressed second data;

wherein the plurality of parallel decompression engines are configured to perform said decompression in a parallel fashion to produce a plurality of uncompressed portions of the compressed second data.

5 30. The data compression system of claim 29,
 wherein, in performing said decompression in a parallel fashion, the plurality of parallel decompression engines operate concurrently to produce the plurality of uncompressed portions of the compressed second data.

10 31. The data compression system of claim 29, further comprising:
 fourth logic coupled to the plurality of parallel decompression engines and configured to:

 receive the plurality of uncompressed portions of the compressed second data; and

15 merge the plurality of uncompressed portions of the compressed second data to produce uncompressed second data.

20 32. A data compression system comprising:
 a plurality of compression engines, wherein each of the plurality of compression engines implements a parallel data compression algorithm;

 first logic coupled to the plurality of compression engines and configured to:
 receive uncompressed data;
 provide a different portion of the uncompressed data to each of the plurality of compression engines;

25 wherein each of the plurality of compression engines is configured to compress a received uncompressed portion of the data to produce a compressed portion of the data, wherein, in said compressing, each of the plurality of compression engines is configured to:
 maintain a history table comprising entries, wherein each entry comprises at least one symbol;

receive the uncompressed portion of the data, wherein the uncompressed portion of the data comprises a plurality of symbols;

compare the plurality of symbols with entries in the history table in a parallel fashion, wherein said comparing produces compare results;

5 determine match information for each of the plurality of symbols based on the compare results; and

output the compressed portion of the data in response to the match information.

10 33. The data compression system of claim 32, wherein said compressing is performed by the plurality of compression engines in a parallel fashion to produce a plurality of compressed portions of the data.

15 34. The data compression system of claim 33, further comprising second logic coupled to the plurality of compression engines and configured to:

receive the plurality of compressed portions of the data from the plurality of compression engines; and

merge the plurality of compressed portions of the data to produce compressed data.

20 35. A memory controller, comprising:
memory control logic for controlling a memory; and
a plurality of parallel compression engines, wherein each of the plurality of parallel
25 compression engines implements a lossless parallel data compression algorithm;

wherein each of the plurality of parallel compression engines is operable to:
receive a different respective portion of uncompressed data; and
compress the different respective portion of the uncompressed data using the
parallel data compression algorithm to produce a respective compressed portion of the
30 uncompressed data; and

output the respective compressed portion;

wherein the plurality of parallel compression engines are configured to perform said compression in a parallel fashion to produce a plurality of respective compressed portions of the uncompressed data;

5 wherein the respective compressed portions output from the plurality of parallel compression engines are combinable to form compressed data corresponding to the uncompressed data.

36. The memory controller of claim 35,

10 wherein, in performing said compression in a parallel fashion, the plurality of parallel compression engines operate concurrently to compress the different respective portions of the uncompressed data to produce the compressed portions of the uncompressed data.

15 37. The memory controller of claim 35, wherein each of the plurality of parallel compression engines implements a parallel dictionary-based data compression algorithm.

20 38. The memory controller of claim 35, wherein the uncompressed data comprises a plurality of symbols, wherein each of the plurality of parallel compression engines is operable to compare each of a plurality of received symbols with each of a plurality of entries in a history table concurrently.

39. The memory controller of claim 35,

wherein each of the plurality of parallel compression engines comprises:

25 an input for receiving the different respective portion of the uncompressed data, wherein the uncompressed data comprises a plurality of symbols, wherein the plurality of symbols includes a first symbol, a last symbol, and one or more middle symbols;

 a history table comprising entries, wherein each entry comprises at least one symbol;

a plurality of comparators for comparing the plurality of symbols with entries in the history table, wherein the plurality of comparators are operable to compare each of the plurality of symbols with each entry in the history table concurrently, wherein the plurality of comparators produce compare results;

5 match information logic coupled to the plurality of comparators for determining match information for each of the plurality of symbols based on the compare results, wherein the match information logic is operable to determine if a contiguous match occurs for one or more of the one or more middle symbols that does not involve a match with either the first symbol or the last symbol; and

10 an output coupled to the match information logic for outputting compressed data in response to the match information.

40. A memory module, comprising:

one or more memory devices for storing data; and

15 a plurality of parallel compression engines, wherein each of the plurality of parallel compression engines implements a lossless parallel data compression algorithm;

wherein each of the plurality of parallel compression engines is operable to:

receive a different respective portion of uncompressed data; and

20 compress the different respective portion of the uncompressed data using the parallel data compression algorithm to produce a respective compressed portion of the uncompressed data; and

output the respective compressed portion;

25 wherein the plurality of parallel compression engines are configured to perform said compression in a parallel fashion to produce a plurality of respective compressed portions of the uncompressed data;

wherein the respective compressed portions output from the plurality of parallel compression engines are combinable to form compressed data corresponding to the uncompressed data.

30 41. The memory module of claim 40,

wherein, in performing said compression in a parallel fashion, the plurality of parallel compression engines operate concurrently to compress the different respective portions of the uncompressed data to produce the compressed portions of the uncompressed data.

5

42. The memory module of claim 40, wherein each of the plurality of parallel compression engines implements a parallel dictionary-based data compression algorithm.

10

43. The memory module of claim 40, wherein the uncompressed data comprises a plurality of symbols, wherein each of the plurality of parallel compression engines is operable to compare each of a plurality of received symbols with each of a plurality of entries in a history table concurrently.

20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500
505
510
515
520
525
530
535
540
545
550
555
560
565
570
575
580
585
590
595
600
605
610
615
620
625
630
635
640
645
650
655
660
665
670
675
680
685
690
695
700
705
710
715
720
725
730
735
740
745
750
755
760
765
770
775
780
785
790
795
800
805
810
815
820
825
830
835
840
845
850
855
860
865
870
875
880
885
890
895
900
905
910
915
920
925
930
935
940
945
950
955
960
965
970
975
980
985
990
995

44. The memory module of claim 40,

wherein each of the plurality of parallel compression engines comprises:

an input for receiving the different respective portion of the uncompressed data, wherein the uncompressed data comprises a plurality of symbols, wherein the plurality of symbols includes a first symbol, a last symbol, and one or more middle symbols;

a history table comprising entries, wherein each entry comprises at least one symbol;

a plurality of comparators for comparing the plurality of symbols with entries in the history table, wherein the plurality of comparators are operable to compare each of the plurality of symbols with each entry in the history table concurrently, wherein the plurality of comparators produce compare results;

25

match information logic coupled to the plurality of comparators for determining match information for each of the plurality of symbols based on the compare results, wherein the match information logic is operable to determine if a contiguous match occurs for one or more of the one or more middle symbols that does not involve a match with either the first symbol or the last symbol; and

an output coupled to the match information logic for outputting compressed data in response to the match information.

45. A network device, comprising:

network logic for performing networking functions; and

a plurality of parallel compression engines, wherein each of the plurality of parallel compression engines implements a lossless parallel data compression algorithm;

wherein each of the plurality of parallel compression engines is operable to:

receive a different respective portion of uncompressed data; and

compress the different respective portion of the uncompressed data using the parallel data compression algorithm to produce a respective compressed portion of the uncompressed data; and

output the respective compressed portion;

wherein the plurality of parallel compression engines are configured to perform said compression in a parallel fashion to produce a plurality of respective compressed portions of the uncompressed data;

wherein the respective compressed portions output from the plurality of parallel compression engines are combinable to form compressed data corresponding to the uncompressed data.

46. The network device of claim 45,

wherein, in performing said compression in a parallel fashion, the plurality of parallel compression engines operate concurrently to compress the different respective portions of the uncompressed data to produce the compressed portions of the uncompressed data.

47. The network device of claim 45, wherein each of the plurality of parallel compression engines implements a parallel dictionary-based data compression algorithm.

48. The network device of claim 45, wherein the uncompressed data comprises a plurality of symbols, wherein each of the plurality of parallel compression engines is operable to compare each of a plurality of received symbols with each of a plurality of entries in a history table concurrently.

5

49. The network device of claim 45,
wherein each of the plurality of parallel compression engines comprises:

an input for receiving the different respective portion of the uncompressed data, wherein the uncompressed data comprises a plurality of symbols, wherein the plurality of symbols includes a first symbol, a last symbol, and one or more middle symbols;

10

a history table comprising entries, wherein each entry comprises at least one symbol;

a plurality of comparators for comparing the plurality of symbols with entries in the history table, wherein the plurality of comparators are operable to compare each of the plurality of symbols with each entry in the history table concurrently, wherein the plurality of comparators produce compare results;

15

match information logic coupled to the plurality of comparators for determining match information for each of the plurality of symbols based on the compare results, wherein the match information logic is operable to determine if a contiguous match occurs for one or more of the one or more middle symbols that does not involve a match with either the first symbol or the last symbol; and

20

an output coupled to the match information logic for outputting compressed data in response to the match information.

25

50. A data compression system comprising:

a plurality of compression engines, wherein each of the plurality of compression engines implements a parallel data compression algorithm;

first logic coupled to the plurality of compression engines and configured to:

receive uncompressed data; and

provide a different portion of the uncompressed data to each of the plurality of compression engines;

wherein each of the plurality of compression engines is configured to:

compress the uncompressed portion of the uncompressed data provided to the particular compression engine to produce a compressed portion of the uncompressed data; and

output the compressed portion of the uncompressed data;

wherein the plurality of compression engines are configured to perform said compressing in a parallel fashion to produce a plurality of compressed portions of the uncompressed data in parallel; and

second logic coupled to the plurality of compression engines and configured to:

receive the plurality of compressed portions of the uncompressed data; and

combine the plurality of compressed portions of the uncompressed data to produce compressed data.

51. The system of claim 50, wherein the system further comprises:

a processor;

a memory coupled to the processor and to the second logic and configured to store data for use by the processor;

wherein the second logic is further configured to write the compressed data to the memory.

52. A system comprising:

a processor;

a memory coupled to the processor and operable to store data for use by the processor;

a plurality of compression engines, wherein each of the plurality of compression engines implements a parallel data compression algorithm; and

first logic coupled to the memory and to the plurality of compression engines and configured to:

receive uncompressed first data;
split the uncompressed first data into a plurality of uncompressed portions of
the first data; and

provide the plurality of uncompressed portions of the uncompressed first
data to the plurality of compression engines; and

wherein the plurality of compression engines are configured to operate concurrently
to compress the plurality of uncompressed portions of the uncompressed first data to
produce a plurality of compressed portions of the uncompressed first data.

53. The system of claim 52, further comprising
second logic coupled to the plurality of compression engines and to the memory and
configured to merge the plurality of compressed portions of the uncompressed first data to
produce compressed first data;

wherein the second logic is further configured to write the compressed first data to
the memory.

54. The system of claim 52, further comprising:
a plurality of decompression engines;
third logic coupled to the memory and to the plurality of decompression engines and
configured to:

receive compressed second data;
split the compressed second data into a plurality of compressed portions of
the compressed second data;

provide the plurality of compressed portions of the compressed second data
to the plurality of decompression engines; and

wherein the plurality of decompression engines are configured to operate
concurrently to decompress the plurality of compressed portions of the compressed second
data to produce a plurality of uncompressed portions of the compressed second data.

55. The system of claim 54, wherein each of the plurality of decompression engines implements a parallel data decompression algorithm

56. The system of claim 54, further comprising:

5 fourth logic coupled to the plurality of decompression engines and configured to combine the plurality of uncompressed portions of the compressed second data to produce uncompressed second data.

10 57. A method for compressing data, the method comprising:

receiving uncompressed data;

providing a different respective portion of the uncompressed data to each of a plurality of parallel compression engines, wherein each of the plurality of parallel compression engines implements a parallel data compression algorithm;

15 each of the plurality of parallel compression engines compressing the different respective portion of the uncompressed data using the parallel data compression algorithm to produce a respective compressed portion of the uncompressed data, wherein the plurality of parallel compression engines operate concurrently to perform said compressing in a parallel fashion, wherein the plurality of parallel compression engines produce a plurality of
20 respective compressed portions of the uncompressed data;

combining the plurality of respective compressed portions of the uncompressed data to produce compressed data, wherein the compressed data corresponds to the uncompressed data; and

outputting the compressed data.

25 58. The method of claim 57, wherein each of the plurality of parallel compression engines implements a parallel lossless data compression algorithm.

59. The method of claim 57, wherein each of the plurality of parallel
30 compression engines implements a parallel statistical data compression algorithm.

60. The method of claim 57, wherein each of the plurality of parallel compression engines implements a parallel dictionary-based data compression algorithm.

5 61. The method of claim 57, further comprising writing the compressed data to a memory.

62. The method of claim 57,
wherein, for each of the plurality of parallel compression engines, said compressing
10 comprises:

receiving the different respective portion of the uncompressed data, wherein the uncompressed data comprises a plurality of symbols, wherein the plurality of symbols includes a first symbol, a last symbol, and one or more middle symbols;

maintaining a history table comprising entries, wherein each entry comprises
15 at least one symbol;

comparing the plurality of symbols with entries in the history table in a parallel fashion, wherein said comparing in a parallel fashion comprises comparing each of the plurality of symbols with each entry in the history table concurrently, wherein said comparing produces compare results;

20 determining match information for each of the plurality of symbols based on the compare results, wherein said determining match information includes determining if a contiguous match occurs for one or more of the one or more middle symbols that does not involve a match with either the first symbol or the last symbol; and

outputting compressed data in response to the match information.

25 63. A method comprising:
receiving uncompressed data;
providing a different portion of the uncompressed data to each of a plurality of compression engines, wherein each of the plurality of compression engines implements a
30 parallel data compression algorithm;

each of the plurality of compression engines compressing its respective different portion of the uncompressed data to produce a compressed portion of the data, wherein said compressing comprises:

maintaining a history table comprising entries, wherein each entry comprises at least one symbol;

receiving the respective different portion of the uncompressed data, wherein the respective different portion of the uncompressed data comprises a plurality of symbols;

comparing the plurality of symbols with entries in the history table in a parallel fashion, wherein said comparing produces compare results;

determining match information for each of the plurality of symbols based on the compare results; and

outputting the compressed portion of the data in response to the match information.

wherein said compressing is performed by the plurality of compression engines in a parallel fashion to produce a plurality of compressed portions of the uncompressed data.

64. The method of claim 63, further comprising:

merging the plurality of compressed portions of the uncompressed data to produce compressed data; and

writing the compressed data to a memory.

65. A data decompression system comprising:

a plurality of parallel decompression engines, wherein each of the plurality of parallel decompression engines implements a parallel data decompression algorithm;

wherein each of the plurality of parallel decompression engines is operable to:

receive a different respective portion of compressed data; and

decompress the different respective portion of the compressed data using the parallel data decompression algorithm to produce a respective uncompressed portion of the compressed data; and

output the respective uncompressed portion;

wherein the plurality of parallel decompression engines are configured to perform said decompression in a parallel fashion to produce a plurality of respective uncompressed portions of the compressed data.

5

66. The data decompression system of claim 65,

wherein, in performing said decompression in a parallel fashion, the plurality of parallel decompression engines operate concurrently to decompress the different respective portions of the compressed data to produce the uncompressed portions of the compressed data.

10

67. The data decompression system of claim 65,

wherein the respective uncompressed portions output from the plurality of parallel decompression engines are combinable to form uncompressed data corresponding to the compressed data.

15

68. The data decompression system of claim 65, wherein each of the plurality of parallel decompression engines implements a parallel lossless data decompression algorithm.

20

69. The data decompression system of claim 65, wherein each of the plurality of parallel decompression engines implements a parallel statistical data decompression algorithm.

25

70. The data compression system of claim 65, wherein each of the plurality of parallel decompression engines implements a parallel dictionary-based data decompression algorithm.

71. The data compression system of claim 70, wherein each of the plurality of parallel decompression engines implements a parallel data decompression algorithm based on a Lempel-Ziv (LZ) algorithm.

5 72. The data decompression system of claim 70, wherein the compressed data comprises a compressed representation of uncompressed data, wherein the uncompressed data has a plurality of symbols;

wherein, in decompressing the different respective portion of the compressed data, each of the plurality of parallel decompression engines is operable to:

10 receive the different respective portion of the compressed data, wherein the different respective portion of the compressed data comprises tokens each describing one or more of the symbols in the uncompressed data;

examine a plurality of tokens from the different respective portion of the compressed data in parallel in a current decompression cycle; and

15 generate the uncompressed data comprising the plurality of symbols in response to said examining.

20 73. The data decompression system of claim 72, wherein, in examining the plurality of tokens from the different respective portion of the compressed data in parallel, each of the plurality of parallel decompression engines is operable to operate on the plurality of tokens concurrently.

25 74. The data decompression system of 73, wherein each of the plurality of parallel decompression engines operates in a pipelined fashion;

wherein, in examining the plurality of tokens from the different respective portion of the compressed data in parallel, each of the plurality of parallel decompression engines is operable to operate on the plurality of tokens during a single pipeline stage.

75. The data decompression system of claim 72, wherein each of the plurality of parallel decompression engines is further operable to:

generate a plurality of selects in parallel in response to examining the plurality of tokens in parallel, wherein each of the plurality of selects points to a symbol in a combined history window;

wherein each of the plurality of parallel decompression engines generates the uncompressed data using the plurality of selects.

76. A data decompression system comprising:
a plurality of decompression engines, wherein each of the plurality of decompression engines implements a parallel data decompression algorithm;

first logic coupled to the plurality of decompression engines and configured to:

receive compressed data; and

provide a different respective portion of the compressed data to each of the plurality of decompression engines;

wherein each of the plurality of decompression engines is configured to:

decompress the respective compressed portion of the compressed data to produce an uncompressed portion of the compressed data; and

output the uncompressed portion of the compressed data;

wherein the plurality of decompression engines are configured to operate concurrently to perform said decompressing in a parallel fashion to produce a plurality of uncompressed portions of the compressed data.

77. The data decompression system of claim 76, further comprising:

second logic coupled to the plurality of decompression engines and configured to:

receive the plurality of uncompressed portions of the compressed data; and

merge the plurality of uncompressed portions of the compressed data to produce uncompressed data.

78. The data decompression system of claim 76, wherein each of the plurality of parallel decompression engines implements a parallel lossless data decompression algorithm.

79. The data decompression system of claim 76, wherein each of the plurality of parallel decompression engines implements a parallel statistical data decompression algorithm.

80. The data compression system of claim 76, wherein each of the plurality of parallel decompression engines implements a parallel dictionary-based data decompression algorithm.

81. The data decompression system of claim 76, wherein the parallel data decompression algorithm is based on one of an LZSS algorithm, an LZ77 algorithm, an LZ78 algorithm, an LZW algorithm, an LZRW1 algorithm, a Run Length Encoding (RLE) algorithm, a Predictive Encoding algorithm, a Huffman coding algorithm, an Arithmetic coding algorithm and a Differential decompression algorithm.

82. A data decompression system comprising:
a plurality of decompression engines, wherein each of the plurality of decompression engines implements a parallel data decompression algorithm;

first logic coupled to the plurality of decompression engines and configured to:

receive compressed data;

provide a different portion of the compressed data to each of the plurality of decompression engines;

wherein each of the plurality of decompression engines is configured to decompress its received different portion of the compressed data to produce an uncompressed portion of the data, wherein, in said decompressing, each of the plurality of decompression engines is configured to:

receive the different portion of the compressed data, wherein the different portion of the compressed data comprises tokens each describing one or more uncompressed symbols;

examine a plurality of tokens from the different portion of the compressed data in parallel in a current decompression cycle;

generate a plurality of selects in parallel in response to examining the plurality of tokens in parallel, wherein each of the plurality of selects points to a symbol in a combined history window; and

generate an uncompressed portion of the compressed data comprising the plurality of symbols using the plurality of selects.

83. The data decompression system of claim 82, wherein said decompressing is performed by the plurality of decompression engines in a parallel fashion to produce a plurality of uncompressed portions of the compressed data.

84. The data decompression system of claim 83, further comprising second logic coupled to the plurality of decompression engines and configured to:

receive the plurality of uncompressed portions of the compressed data from the plurality of decompression engines; and

merge the plurality of uncompressed portions of the compressed data to produce uncompressed data.

85. A data decompression system comprising:

a plurality of decompression engines, wherein each of the plurality of decompression engines implements a parallel data decompression algorithm;

first logic coupled to the plurality of decompression engines and configured to:

receive compressed data; and

provide a different portion of the compressed data to each of the plurality of decompression engines;

wherein each of the plurality of decompression engines is configured to:

decompress the compressed portion of the data provided to the particular decompression engine to produce an uncompressed portion of the data; and

output the uncompressed portion of the data;

5 wherein the plurality of decompression engines is configured to perform said decompressing in a parallel fashion to produce a plurality of uncompressed portions of the data in parallel; and

second logic coupled to the plurality of decompression engines and configured to:

receive the plurality of uncompressed portions of the data; and

10 merge the plurality of uncompressed portions of the data to produce uncompressed data.

86. A memory controller, comprising:

memory control logic for controlling a memory; and

a plurality of parallel decompression engines, wherein each of the plurality of parallel decompression engines implements a parallel data decompression algorithm;

wherein each of the plurality of parallel decompression engines is operable to:

receive a different respective portion of compressed data; and

20 decompress the different respective portion of the compressed data using the parallel data decompression algorithm to produce a respective uncompressed portion of the compressed data; and

output the respective uncompressed portion;

25 wherein the plurality of parallel decompression engines are configured to perform said decompression in a parallel fashion to produce a plurality of respective uncompressed portions of the compressed data;

wherein the respective uncompressed portions output from the plurality of parallel decompression engines are combinable to form uncompressed data corresponding to the compressed data.

30

87. The memory controller of claim 86,
wherein, in performing said decompression in a parallel fashion, the plurality of parallel decompression engines operate concurrently to decompress the different respective portions of the compressed data to produce the uncompressed portions of the compressed data.

88. The memory controller of claim 86,
wherein each of the plurality of parallel decompression engines implements a parallel dictionary-based data decompression algorithm.

89. The memory controller of claim 88, wherein the compressed data comprises a compressed representation of uncompressed data, wherein the uncompressed data has a plurality of symbols;

wherein, in decompressing the different respective portion of the compressed data, each of the plurality of parallel decompression engines is operable to:

receive the compressed data, wherein the compressed data comprises tokens each describing one or more of the symbols in the uncompressed data;

examine a plurality of tokens from the compressed data in parallel in a current decompression cycle; and

generate the uncompressed data comprising the plurality of symbols in response to said examining.

90. The memory controller of claim 89,
wherein, in examining the plurality of tokens from the compressed data in parallel, each of the plurality of parallel decompression engines is operable to operate on the plurality of tokens concurrently.

91. The memory controller of 90,
wherein each of the plurality of parallel decompression engines operates in a pipelined fashion;

wherein, in examining the plurality of tokens from the compressed data in parallel, each of the plurality of parallel decompression engines is operable to operate on the plurality of tokens during a single pipeline stage.

5 92. The memory controller of claim 89, wherein each of the plurality of parallel decompression engines is further operable to:

generate a plurality of selects in parallel in response to examining the plurality of tokens in parallel, wherein each of the plurality of selects points to a symbol in a combined history window;

10 wherein each of the plurality of parallel decompression engines generates the uncompressed data using the plurality of selects.

93. A memory module, comprising:

at least one memory device for storing data; and

15 a plurality of parallel decompression engines, wherein each of the plurality of parallel decompression engines implements a parallel data decompression algorithm;

wherein each of the plurality of parallel decompression engines is operable to:

receive a different respective portion of compressed data; and

20 decompress the different respective portion of the compressed data using the parallel data decompression algorithm to produce a respective uncompressed portion of the compressed data; and

output the respective uncompressed portion;

25 wherein the plurality of parallel decompression engines are configured to perform said decompression in a parallel fashion to produce a plurality of respective uncompressed portions of the compressed data;

wherein the respective uncompressed portions output from the plurality of parallel decompression engines are combinable to form uncompressed data corresponding to the compressed data.

30 94. The memory module of claim 93,

wherein, in performing said decompression in a parallel fashion, the plurality of parallel decompression engines operate concurrently to decompress the different respective portions of the compressed data to produce the uncompressed portions of the compressed data.

5

95. The memory module of claim 93,

wherein each of the plurality of parallel decompression engines implements a parallel dictionary-based data decompression algorithm.

10

96. The memory module of claim 95, wherein the compressed data comprises a compressed representation of uncompressed data, wherein the uncompressed data has a plurality of symbols;

wherein, in decompressing the different respective portion of the compressed data, each of the plurality of parallel decompression engines is operable to:

receive the compressed data, wherein the compressed data comprises tokens each describing one or more of the symbols in the uncompressed data;

examine a plurality of tokens from the compressed data in parallel in a current decompression cycle; and

generate the uncompressed data comprising the plurality of symbols in response to said examining.

97. The memory controller of claim 96,

wherein, in examining the plurality of tokens from the compressed data in parallel, each of the plurality of parallel decompression engines is operable to operate on the plurality of tokens concurrently.

98. The memory controller of 97,

wherein each of the plurality of parallel decompression engines operates in a pipelined fashion;

wherein, in examining the plurality of tokens from the compressed data in parallel, each of the plurality of parallel decompression engines is operable to operate on the plurality of tokens during a single pipeline stage.

5 99. The memory controller of claim 96, wherein each of the plurality of parallel decompression engines is further operable to:

 generate a plurality of selects in parallel in response to examining the plurality of tokens in parallel, wherein each of the plurality of selects points to a symbol in a combined history window;

10 wherein each of the plurality of parallel decompression engines generates the uncompressed data using the plurality of selects.

 100. A network device, comprising:

 network logic for interfacing to a network; and

5 a plurality of parallel decompression engines, wherein each of the plurality of parallel decompression engines implements a parallel data decompression algorithm;

 wherein each of the plurality of parallel decompression engines is operable to:

 receive a different respective portion of compressed data; and

 decompress the different respective portion of the compressed data using the parallel data decompression algorithm to produce a respective uncompressed portion of the compressed data; and

 output the respective uncompressed portion;

 wherein the plurality of parallel decompression engines are configured to perform said decompression in a parallel fashion to produce a plurality of respective uncompressed portions of the compressed data;

25 wherein the respective uncompressed portions output from the plurality of parallel decompression engines are combinable to form uncompressed data corresponding to the compressed data.

30 101. The network device of claim 100,

wherein, in performing said decompression in a parallel fashion, the plurality of parallel decompression engines operate concurrently to decompress the different respective portions of the compressed data to produce the uncompressed portions of the compressed data.

5

102. The network device of claim 100,

wherein each of the plurality of parallel decompression engines implements a parallel dictionary-based data decompression algorithm.

10

103. The network device of claim 102, wherein the compressed data comprises a compressed representation of uncompressed data, wherein the uncompressed data has a plurality of symbols;

wherein, in decompressing the different respective portion of the compressed data, each of the plurality of parallel decompression engines is operable to:

receive the compressed data, wherein the compressed data comprises tokens each describing one or more of the symbols in the uncompressed data;

examine a plurality of tokens from the compressed data in parallel in a current decompression cycle; and

generate the uncompressed data comprising the plurality of symbols in response to said examining.

104. The network device of claim 103,

wherein, in examining the plurality of tokens from the compressed data in parallel, each of the plurality of parallel decompression engines is operable to operate on the plurality of tokens concurrently.

105. The network device of 104,

wherein each of the plurality of parallel decompression engines operates in a pipelined fashion;

wherein, in examining the plurality of tokens from the compressed data in parallel, each of the plurality of parallel decompression engines is operable to operate on the plurality of tokens during a single pipeline stage.

5 106. The network device of claim 103, wherein each of the plurality of parallel decompression engines is further operable to:

generate a plurality of selects in parallel in response to examining the plurality of tokens in parallel, wherein each of the plurality of selects points to a symbol in a combined history window;

10 wherein each of the plurality of parallel decompression engines generates the uncompressed data using the plurality of selects.

15 107. A method for decompressing data, comprising:

receiving compressed data;

providing a different portion of the compressed data to each of a plurality of decompression engines, wherein each of the plurality of decompression engines implements a parallel data decompression algorithm;

20 each of the plurality of decompression engines decompressing the different portion of the compressed data, wherein said decompressing produces an uncompressed portion of the data, wherein said decompressing is performed by the plurality of decompression engines in a parallel fashion to produce a plurality of uncompressed portions of the compressed data; and

25 combining the plurality of uncompressed portions of the compressed data to produce uncompressed data.

108. The method of claim 107, further comprising writing the uncompressed data to a memory.

109. The method of claim 107, wherein the parallel data decompression algorithm is a parallel dictionary-based decompression algorithm.

110. The method of claim 107,

5 wherein the compressed data comprises a compressed representation of uncompressed data, wherein the uncompressed data has a plurality of symbols;

wherein each of the plurality of decompression engines decompressing the different portion of the compressed data comprises;

10 receiving the different portion of the compressed data, wherein the compressed data comprises tokens each describing one or more of the symbols in the uncompressed data;

examining a plurality of tokens from the compressed data in parallel in a current decompression cycle; and

15 generating the uncompressed data comprising the plurality of symbols in response to said examining.

111. A method comprising:

receiving compressed data;

20 providing a different portion of the compressed data to each of a plurality of decompression engines, wherein each of the plurality of decompression engines implements a parallel data decompression algorithm;

each of the plurality of decompression engines decompressing a compressed portion of the data provided to the particular decompression engine to produce an uncompressed portion of the data, wherein said decompressing comprises:

25 receiving the compressed portion of the data, wherein the compressed portion of the data comprises tokens each describing one or more uncompressed symbols;

examining a plurality of tokens from the compressed portion of the data in parallel in a current decompression cycle;

generating a plurality of selects in parallel in response to examining the plurality of tokens in parallel, wherein each of the plurality of selects points to a symbol in a combined history window; and

generating an uncompressed portion of the data comprising the plurality of symbols using the plurality of selects;

wherein said decompressing is performed by the plurality of decompression engines in a parallel fashion to produce a plurality of uncompressed portions of the data.

112. The method of claim 111, further comprising:

merging the plurality of uncompressed portions of the data to produce uncompressed data; and

writing the uncompressed data to a memory.

113. A data compression/decompression system comprising:

a plurality of compression engines, wherein each of the plurality of compression engines implements a parallel data compression algorithm;

a plurality of decompression engines, wherein each of the plurality of decompression engines implements a parallel data decompression algorithm;

first logic coupled to the plurality of data compression engines and to the plurality of data decompression engines and configured to:

receive data;

if the data is uncompressed, provide a plurality of uncompressed portions of the data to each of the plurality of data compression engines; and

if the data is compressed, provide a plurality of compressed portions of the data to each of the plurality of data decompression engines;

wherein, if the data is uncompressed, the plurality of compression engines are configured to compress the plurality of uncompressed portions of the data in a parallel fashion to produce a plurality of compressed portions of the data; and

wherein, if the data is compressed, the plurality of decompression engines are configured to decompress the plurality of compressed portions of the data in a parallel fashion to produce a plurality of uncompressed portions of the data.

5 114. The data compression/decompression system of claim 113, further comprising:

second logic coupled to the plurality of data compression engines and to the plurality of data decompression engines and configured to:

10 if the data is uncompressed, merge the compressed portions of the data produced by the plurality of compression engines to produced compressed data; and

 if the data is compressed, merge the uncompressed portions of the data produced by the plurality of decompression engines to produced uncompressed data.

15 115. The data compression/decompression system of claim 113, wherein the parallel data decompression algorithm and the parallel data decompression algorithm are based on a serial lossless data compression/decompression algorithm.

20 116. A data compression/decompression system comprising:
a plurality of compression/decompression engines, wherein each of the plurality of compression/decompression engines implements a parallel data compression algorithm and a parallel data decompression algorithm;

first logic coupled to the plurality of data compression/decompression engines and configured to:

25 receive data;
 split the data into a plurality of portions of the data; and
 provide the plurality of portions of the data to the plurality of data compression/decompression engines;

wherein the plurality of data compression/decompression engines is configured to:

if the data is uncompressed, compress the portions of the data in a parallel fashion to produce a plurality of compressed portions of the first data; and

if the data is compressed, decompress the portions of the data in a parallel fashion to produce a plurality of uncompressed portions of the first data.

5

117. The data compression/decompression system of claim 116, further comprising:

second logic coupled to the plurality of data compression/decompression engines and to the plurality of data decompression engines and configured to

10

if the data is uncompressed, merge the compressed portions of the data produced by the plurality of compression/decompression engines to produced compressed data; and

if the data is compressed, merge the uncompressed portions of the data produced by the plurality of compression/decompression engines to produced uncompressed data.

15

118. The data compression/decompression system of claim 116, wherein the parallel data decompression algorithm and the parallel data decompression algorithm are lossless parallel dictionary-based compression/decompression algorithms.

20

119. A system comprising:

a processor;

a memory coupled to the processor and operable to store data for use by the processor;

25

a data compression/decompression system comprising:

a plurality of compression engines, wherein each of the plurality of compression engines implements a parallel data compression algorithm;

a plurality of decompression engines, wherein each of the plurality of decompression engines implements a parallel data decompression algorithm;

30

first logic coupled to the plurality of data compression engines and to the plurality of data decompression engines and configured to:

receive first data;

if the first data is uncompressed, provide a plurality of uncompressed portions of the first data to each of the plurality of compression engines; and

if the first data is compressed, provide a plurality of compressed portions of the first data to each of the plurality of decompression engines;

wherein, if the first data is uncompressed, the plurality of compression engines is configured to compress the plurality of uncompressed portions of the first data in a parallel fashion to produce a plurality of compressed portions of the first data; and

wherein, if the first data is compressed, the plurality of decompression engines is configured to decompress the plurality of compressed portions of the first data in a parallel fashion to produce a plurality of uncompressed portions of the first data.